BLIPPY

PORCELAIN TILE

MADE IN THE USA

herоflooring.com

HERO FLOORING

BLIPPY
PORCELAIN TILE

COLORS:

Arabescato

Calacatta Paonazzo

Carrara Gioia


Nero Venato

Onyx Nuvolato

Paradiso Argento

Statuarietto

Statuario Nuovo

Travertino Instrata

BLIPPY
PORCELAIN TILE

SIZES:

4”x12”
Rectified Polished/Honed

12”x24”
Rectified Polished/Honed

24”x24”
Rectified Polished/Honed



32”x32”
Rectified Polished/Honed



24”x48”
Rectified Polished/Honed

BLIPPY
PORCELAIN TILE

MOSAICS & TRIM PIECES:

6” Hexagon Mosaic
Polished/Honed



2”x2” Mosaic
Honed



2” Hexagon Mosaic
Polished/Honed



2” Modella Mosaic
Polished



Picco Mosaic
Honed



3”x12” Bullnose
Polished/Honed

V1

UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.



V2

SLIGHT VARIATION
Clearly distinguashable differences in texture and/or pattern with similar colors.



V3

MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.



V4

SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

BLIPPY
PORCELAIN TILE

TECHNICAL INFORMATION:

SPECS	TEST METHOD	HERO VALUES
WATER ABSORPTION	ANSI / ISO - (%)	≤ 0.4%
ABRASION RESISTANCE	ANSI / ISO	CLASS 4
SCRATCH HARDNESS	ANSI / ISO - (Mohs)	5
BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	≥ 360 > 1600
SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	POLISHED <9.42 HONED ≥ 0.50 POLISHED R (-) HONED R (-)
CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
STAIN RESISTANCE	ANSI ISO	CLASS A CLASS 5
FROST RESISTANCE	ANSI / ISO	PASS

*Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production lots.

BLIPPY
PORCELAIN TILE