


LINEN

PORCELAIN TILE

COLORS:

MOSAIC OPTIONS:



Ivory




Natural




Fog




Mist




Mica




2x2 in. Basketweave Mosaic




2x2 in. Basketweave Mosaic



2x2 in. Basketweave Mosaic



2x2 in. Basketweave Mosaic



2x2 in. Basketweave Mosaic



1x4 Stacked Mosaic – Cool Blend



1x4 Stacked Mosaic – Warm Blend



Random Strip Mosaic – Cool Blend



Random Strip Mosaic – Warm Blend

SIZES:

12"x24" – 9mm
Rectified Matte



6"x24" – 9mm
Rectified Matte



TRIMS:

3"x12" – 9mm
Bullnose



TECHNICAL INFORMATION:

SPECS	TEST	HERO VALUES
WATER ABSORPTION	ANSI / ISO - (%)	< 0.5%
ABRASION RESISTANCE	ANSI / ISO	CLASS 4
SCRATCH HARDNESS	ANSI / ISO - (Mohs)	7
BREAKING STRENGTH	ANSI - (lbf) ISO - (N)	>350 >1500
SLIP RESISTANCE	ANSI - DCOF (WET) ISO - R VALUE	MATTE ≥0.50 MATTE R9
CHEMICAL RESISTANCE	ANSI / ISO	CLASS A
STAIN RESISTANCE	ANSI / ISO	CLASS A / CLASS 5
FROST RESISTANCE	ANSI / ISO	PASS

Test values are based on ANSI / ISO standards according to: ANSI A137.1 - Porcelain tile P1 Class, ISO 13006 - G - Bia Group, En 14411 - G - Bia Group. Variances in test values can occur in different production

V1

UNIFORM APPEARANCE
Differences among pieces from the same production run are minimal.

V2

SLIGHT VARIATION
Clearly distinguishable differences in texture and/or pattern with similar colors.

V3

MODERATE VARIATION
While the colors present on a single piece of tile will be indicative of the colors to be expected on the other tiles, the amount of colors on each piece will vary significantly.

V4

SUBSTANTIAL VARIATION
Random color differences from tile to tile, so that one tile may have totally different colors from that on other tiles. Thus, the final installation will be unique.

